

### Senator - 1/4mm 3/8mm Drive, SDA100MAB Socket Set - 12 Points

1/4" Drive Bi-Hex Sockets: Metric: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm. AF: 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2" AF. BA: 0, 2, 4, 6, 8 and 10BA. Screwdriver Bits: Slotted 3.5, 4.5, 5.5, 6mm. Crosspoint: No.1, No.2, No.3. PZ: No.1, No.2, No.3. TX: T15, T20, T25. Hex: 3, 4, 5, 6, 8, 10mm; 1/8", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8" AF. Accessories: 50, 75 and 150mm extension bars, ratchet handle, sliding T-handle, spinner handle, universal joint.

3/8" Drive Bi-Hex Sockets: Metric: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19 and 21mm. 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16" and 3/4" AF. Deep Sockets: 10, 11, 12, 13 and 14mm; 9/16", 5/8", 11/16" and 3/4" AF. Spark Plug Sockets: M10 (16mm) and M14 (21mm). Accessories: 75 and 150mm extension bars, flexible handle, ratchet handle, universal joint, sliding T-handle



| Specifications    | Details   |
|-------------------|---|
| Product Number    | SEN5820080GTSK SDA100MAB  |
| Brand             | Kennedy-Pro   |
| Includes          | 1/4" Drive Sockets AF: 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2" 1/4" Drive Sockets BA: 0, 2, 4, 6, 8 and 10 1/4" Drive Sockets Metric: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm 1/4" Extension Bars 50, 75 and 150mm 1/4" Ratchet Handle 1/4" Screwdriver Bits Crosspoint: No.1, No.2, No.3 1/4" Screwdriver Bits Hex: 3, 4, 5, 6, 8, 10mm; 1/8", 5/32", 3/16", 7/32", 1/4", 5 |
| Torx Bit Size     | T15 T20 T25   |
| Bit Type          | Crosspoint Hex Phillips Pozidriv Slotted Torx   |
| Set Type          | Socket Set with Screwdriver Bits  |
| Socket Size Range | 0BA - 10BA 3/16" AF - 3/4" AF 4mm - 21mm  |
| Hex Bit Size      | 10mm 3mm 4mm 5mm 6mm 8mm mm mm mm mm mm mm mm   |
| Drive Type        | Square  |
| Socket Depth      | Deep Standard   |
| Drive Size        | 1/4mm 3/8mm   |
| Number Of Pieces  | 100   |
| Material          | Chrome Vanadium Steel   |
| Screwdriver Size  | 3.5mm 4.5mm 5.5mm 6mm No.1mm No.2mm No.3mm  |

---

| Specifications   | Details   |
|------------------|---|
| Standards Met    | ANSI B107.1: 1978 & BS 4006: 1992ANSI B107.10M : 1982 ANSI B107.5M: 1987 BS 4006 : 1992 |
| Number Of Points | 12  |

