




PJ-P2010A

Item number: 302-802-10



Images





Description

The profile projector that "can be operated intuitively" even by inexperienced people and also has excellent durability and energy-saving performance thanks to the adoption of an "LED illumination source" and "fanless cooling system". It provides stable dimension and angle measurements in harsher environments, such as manufacturing and processing lines, than can be handled by conventional models.





Features

Measuring range XY:	200 x 100 mm
Model:	PJ-P2,010A
XY stage table top size:	350 x 280
XY stage effective area:	240 x 140
Stage glass No.:	12BAD760
Max stage loading:	8
Mass:	118.0

Accessories

Optional accessories:



	Inspection tool Standard scale 50 mm/0,1 mm 172-116
	Inspection tool Reading scale 200 mm/0,5 mm 172-118
" data-bbox="110 680 170 700"/>	Inspection tool Reading scale 8"/"0.02" 172-119
	Inspection tool Reading Scale 300 mm/0,5 mm 172-161
" data-bbox="110 830 170 850"/>	Inspection tool Reading Scale 12"/"0.02" 172-162
	Green Filter, Colour filter 172-160-3



Rotary Table
172-197



Lens accessory
Oblique reflecting mirror for 10X lens
172-229



Lens accessory
Oblique reflecting mirror for 20X lens
172-230



V-BLOCK
with clamp
172-378



Standard accessories:



Cover
Vinyl cover for PJ projectors
383876